

Receiving Report

Date: 11/4/7
 Supplier: MEFA SOL

Batch No: 117337
 Dart P/O: 13765

Packing Slip: Yes ☒ No ☐
 Invoice: Yes ☐ No ☒
 Receipt: Cash ☐ Cr ☒

Release Note Attached: Yes ☒ No ☐ N/A ☐
 Waybill Attached: Yes ☒ No ☐
 Shipment Complete: Yes ☒ No ☐ N/A ☐
 QC6 Inspection ☒ N/A ☐
 Work Order 8 motor N/A ☐

Discrepancies

Part Number	Description	Quantity Ordered	Quantity Received	Quantity Returned	Quantity Short	Comments

Initials of receiver (if shipment OK) Level 12 [Signature]

Production/Admin: 11/4/7
 Date [Signature]
 Received/Costing [Signature]
 Initial [Signature]

Location _____

Shipping Order

05/04/2011

METAUX SOLUTIONS INC.
2108, 32E AVENUE
LACHINE, QUEBEC
H8T 3H7

Tel.: 514 633-8010

Customer: 6323336

Order : 73632
Reference : PO13765
Bid : 7658
Ship : NOTRE CAMION / OUR TRUCK

DART AEROSPACE LTD
1270, ABERDEEN STREET
HAWKESBURY, ONTARIO
K6A 1K7

Ship To

Same

Tel.: 1 613 632-3336

Item No.	Description	Qty	Qty. Delivered	B/O Qty
MP124130N	4130 NORM PLATE .500 THICK AMS 6345 4 X 3" X 141.75" HT; D5202	11.81	<u>11.81</u> 235.42 x3	<u>0</u>
SSQT34340494	304 SQ TUBE .750 X .049 WALL ✓ 15 X 20' **** HT;6RW7	300	<u>300</u>	<u>0</u>

SHIP TST COLLECT
JP

Shipping : _____ Ref. : _____
Package No : _____
Merchandise Received: _____

METALUX SOLUTIONS INC.
2108, 32E AVENUE
LACHINE, QUEBEC
H8T 3H7

Tel : 514 633-8010

Shipping Order

05/04/2011

Order : 73632
Reference : PO13765
Bid : 7658
Ship : NOTRE CAMION / OUR TRUCK

Customer: 6323336

DART AEROSPACE LTD
1270, ABERDEEN STREET
HAWKESBURY, ONTARIO
K6A 1K7

Ship To

Same

Tel: 1 613 632-3336

Item No.	Description	Qty	Qty. Delivered	B/O Qty
MP124130N	4130 NORM PLATE .500 THICK AMS 6345 4 X 3" X 141.75" HT; D5202	11.81	11.81 X2	<u> </u>
SSQT34340494	304 SQ TUBE .750 X .049 WALL 15 X 20' **** HT; 6RW7	300	300	<u> </u>

SHIP TST COLLECT
JP

Shipping : _____
Package No : _____
Merchandise Received: _____

Ref. : _____



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID PO13765

Purchase Order Date 3/31/2011

PO Print Date 3/31/2011

Page Number 1 of 1

Order From :
METAUX SOLUTIONS
1320 C, VOLTA
BOUCHERVILLE, QC J4B 6G6
CA

VC-MET002

Contact Name
Vendor Phone 800 558 8858
Vendor Fax 514 633 8044
Vendor Account Nbr

Buyer Chantal Lavoie
Requisition Nbr
Tax Resale Nbr 10127-2607
Terms Net 30
Currency CAD
FOB Destination-Collect

Ship To : DART AEROSPACE LTD 1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

Line Nbr	Reference Revision ID Vendor Part Number	Description/ Mfg ID	Req Date/ Taxable	Req Qty/ Unit of Measure	Ship Method	Unit Price	Extended Price
1	M304TS0.750W.049	304 SQ Tube .75x.75x.049W	4/5/2011 Yes	300.00 f	TST ground	\$3.7000	\$1,110.00
		Special Inst:	MATERIAL: AISI 304/316 SEAMLESS STAINLESS STEEL SQUARE TUBING AS PER ASTM A554 MILL FINISH OR ASTM A269 MILL FINISH				
2	M4130NB0.500X03.000	4130 Bar 0.500 x 3.00	4/5/2011 Yes	47.25 f	TST ground	\$22.1278	\$1,045.54
		Special Inst:	MATERIAL: AISI 4130N STEEL BAR PER MIL-S-6758 OR AMS 6343/6348/6370/6528				
PO Total:						\$2,155.54	

MATERIAL CERTIFICATION
REQ'D UPON DELIVERY

W 02

No substitution or deviation without
consent.
Certificate of Conformity or Material
Certification required when applicable

Change Nbr: 1

Change Date: 3/31/2011

PHOENIX TUBE COMPANY, INC.
Manufacturer of Stainless Ornamental and Structural Tubing
CERTIFICATION OF TEST

Sold To:

Ship To:

CUSTOMER ORDER#: C77747

CUST REF NBR:

DATE SHIPPED: 03/04/11

SIZE: 3/4SQ X 18 GA AW

SOURCE: USA D

VENDOR: NAS

Phone# 5492603

ORDER#: 241846

QTY SHIPPED: 504.0

GRADE: 304L

HEAT#: 6RW7

TEST REPORT#: TR009107

Report Date: 04/26/10

Ext:

WELD: HF

Specification:

ASTM A554-10

T304L/304 DUAL CERTIFIED

NO WELD REPAIR

EN 10204:2004 2.2

MFG USING

ANNEALED AND PICKLED

NACE MR0175/01

PLATE, SHEET OR STRIP

S. Swartz

MERCURY IS NOT USED BY US AS AN ALLOYING MATERIAL NOR IS METALLIC MERCURY HANDLED IN THE VICINITY OF OUR PROCESSING LINES. WE ARE NOT PRESENTLY AWARE OF ANY MERCURY CONTAMINATION.

Chemical Analysis

C	MN	P	S	SI	CR	NI	MO	CU	CO	N2	T1
.018	1.75	.031	.016	.35	18.13	8.04	.33	.47	0	.07	0

Physical Analysis

	YIELD		TENSILE		OTHER	
Hardness	PSI	MPA	PSI	MPA	Percent EL	Percent RA
RB 84.	47920	0	93800	0	46.	0

THE CHEMICAL ANALYSES ARE CORRECT AS CONTAINED IN OUR CORPORATE RECORDS.

PHYSICAL PROPERTIES ARE DETERMINED WHILE MATERIAL IS IN STRIP FORM.

Melted & Manufactured In the USA FAR BAA complies, DFARS BAA complies, FAR TAA complies

CERTIFIED BY:

Jane L. Leno

1185 WIN DR, BETHLEHEM, PA., 18017 - (610) 865-5337

FAX NUMBER: 610-865-4073

132142

SHIP TO: ISG PLATE INC.

LC

TEST CERTIFICATE

PAGE NO: 01 OF 02
FILE NO: 2765-01-01
MILL ORDER NO: 79339-001
MELT NO: D5202
DATE: 09/19/07

SOLD TO:

C

SEND TO:

01-C

PLATE DIMENSIONS / DESCRIPTION

TOTAL QTY	GAUGE	WIDTH	LENGTH	DESCRIPTION	PIECE WEIGHT
12	.5"	72"	144"	RECTANGLE	1470#

CUSTOMER INFORMATION

CUSTOMER PO: 031507MC2

CONTRACT NO. S.

SPECIFICATION(S)

THIS MATERIAL HAS BEEN MANUFACTURED AND TESTED IN ACCORDANCE WITH PURCHASE ORDER REQUIREMENTS AND SPECIFICATION(S).

AMS 6345A YR 02 AIRCRAFT

UNSA
AIRCRAFT QUALITY AMS 2301 REV. J ASTM A829 GR 4130, MIL S-18729C CONDITION N & AISI 4130
MATERIAL PRODUCED UNDER A CERTIFIED QUALITY MGMT SYSTEM COMPLYING WITH ISO 9001 ABS-QE CERT. NO. 30130

CHEMICAL COMPOSITION

	C	MN	P	S	CU	SI	NI	CR	MO
MELT:D5202	.31	.52	.016	.002	.18	.24	.08	.95	.20
PROD ANALYSIS	.31	.52	.016	.002	.18	.24	.08	.94	.20
	V	AL	CB						
MELT:D5202	.057	.017	.001						
PROD ANALYSIS	.055	.018	.001						

MANUFACTURE

FINELINE - VACUUM DEGASSED - MCQUAID-EHN GRAIN SIZE PER E112 - 7-8

HEAT TREAT CONDITION

MATL OR TEST	HEAT TREAT DESCRIPTION	NOM TEMP	HOLD MINS	COOL MTHD
PL/TEST	NORMALIZE	1660F	28	AIR COOL

MECHANICAL PROPERTIES

BEND TEST - BOT./TRANS. - PASS

BEND TEST - TOP/LONG. - PASS

WE HEREBY CERTIFY THE ABOVE INFORMATION IS CORRECT:

QUALITY ASSURANCE LABORATORY
COATESVILLE, PA 19320

Elinore Zaplitny
SUPERVISOR - TEST REPORTING
ELINORE ZAPLITNY

ISG PLATE INC.

TEST CERTIFICATE

PAGE NO: 02 OF 02
FILE NO: 2765-01-01
MILL ORDER NO: 79339-001
MELT NO: D5202
DATE: 09/19/07

TENSILE PROPERTIES

LOC	DIR	YIELD STRENGTH PSI X 100	TENSILE STRENGTH PSI X 100	ELONGATION GAGE LGTH	*
BOT.	TRANS.	774	1178	2.00"	29.0
BOT.	TRANS.	779	1172	2.00"	29.0
TOP	TRANS.	792	1197	2.00"	25.0
TOP	TRANS.	825	1196	2.00"	29.0

DECARB TESTING

LOC	DEPTH	SURFACE	SUBSURFACE
BOT.	.005	0	0
BOT.	.004	0	0
TOP	.005	0	0
TOP	.004	0	0

OTHER METALLURGICAL AND MICROSTRUCTURAL TESTS

THERMAL RESPONSE TOP - 42 - GAUGE TESTED - 1.25000

THERMAL RESPONSE TOP - 44 - GAUGE TESTED - .50000

MAGNETIC PARTICLE - FREQUENCY .00001 - SEVERITY .00001

GENERAL INFORMATION

ALL STEEL HAS BEEN MELTED AND MANUFACTURED IN THE U.S.A.
MATERIAL HAS BEEN VACUUM DEGASSED AND CALCIUM TREATED
FOR SULFIDE SHAPE CONTROL
MAG. PART. FREQ. AND SEVERITY RATING PER AMS-2301H.

B/L #04611 JONES MOTOR CO.

WE HEREBY CERTIFY THE ABOVE
INFORMATION IS CORRECT:

QUALITY ASSURANCE LABORATORY
COATESVILLE, PA 19320

Elinore Zaplitny
SUPERVISOR - TEST REPORTING
ELINORE ZAPLITNY



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID PO13765

Purchase Order Date 3/31/2011

PO Print Date 3/31/2011

Page Number 1 of 1

Order From :

VC-MET002

METAUX SOLUTIONS
1320 C, VOLTA
BOUCHERVILLE, QC J4B 6G6
CA

Contact Name

Vendor Phone

800 558 8858

Vendor Fax

514 633 8044

Vendor Account Nbr

Buyer

Chantal Lavoie

Requisition Nbr

10127-2607

Tax Resale Nbr

Net 30

Terms

Currency

CAD

FOB

Destination-Collect

Ship To :

DART AEROSPACE LTD

1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

FAKED
C611/03/31

Line Nbr	Reference Revision ID Vendor Part Number	Description/ Mfg ID	Req Date/ Taxable	Req Qty/ Unit of Measure	Ship Method	Unit Price	Extended Price
1	M304TS0.750W.049 034	304 SQ Tube .75x.75x.049W	4/5/2011 Yes	300.00 f	TST ground	\$3.7000	\$1,110.00

Special Inst: MATERIAL: AISI 304/316 SEAMLESS
STAINLESS
STEEL SQUARE TUBING AS PER
ASTM A554 MILL FINISH OR ASTM
A269 MILL FINISH

2	M4130NB0.500X03.000	4130 Bar 0.500 x 3.00	4/5/2011 Yes	47.25 f 35.43	TST ground	\$22.1278	\$1,045.54
---	---------------------	-----------------------	-----------------	---------------------	------------	-----------	------------

Special Inst: MATERIAL: AISI 4130N STEEL BAR PER
MIL-S-6758 OR AMS 6345/6348/6370/6528

PO Total:

\$2,155.54

MATERIAL CERTIFICATION
REQ'D UPON DELIVERY

Signature

UCL

No substitution or deviation without
consent.
Certificate of Conformity or Material
Certification required when applicable

Change Nbr: 1

Change Date: 3/31/2011

TRANSMISSION VERIFICATION REPORT

TIME : 03/31/2011 15:13
NAME :
FAX :
TEL :
SER.# : F9N212739

DATE, TIME	03/31 15:13
FAX NO./NAME	15146338044
DURATION	00:00:20
PAGE(S)	01
RESULT	OK
MODE	STANDARD
	ECM

Bid

30/03/2011

7658

METALUX SOLUTIONS INC.
2108, 32E AVENUE
LACHINE, QUEBEC
H8T 3H7

Tel.: 514 633-8010

Sales Rep. : Jérôme Primeau
Expiration Date : 29/05/2011

Customer: 6323336

Ship To :

DART AEROSPACE LTD
1270, ABERDEEN STREET
HAWKESBURY, ONTARIO
K6A 1K7

Same

Fax: 613 632-1053

Item No.	Description	Qty	Price	Total	Tx
MP124130N	4130 NORM PLATE .500 THICK AMS 6345	11.81	88.53	1 045.54	A
	4 X 3" X 141.75" 47.25 ft			1183.0405	
SSQT34340494	304 SQ TUBE .750 X .049 WALL 15 X 20'	300	3.70	1 110.00	A

COPY

Subtotal

2 155.54

A) Regist :

HST :

280.22

Total :

2 435.76

0500 x .049

M1010B0.500X03.000	8.16	0	0 P 1010-1025 BAR.500
M1010R0.375	0.36	1	0 P ROUND BAR .375
M1018TR1.250W.109	3.684210526	14.21	0 P 1010-1025 Steel Tu
M12883/45-01	2	4	4 P Relay Base
M174B0.500X02.000	9.11E-02	57.6	20 P 17-4 SS Bar .500 x 2
M174B1.250X02.000	5.074593676	18.4	20 P 17-4 SS Bar 1.250 x
M174B2.000X01.500	2.412105263	9	12 P 17-4 SS Bar 2.00 x 1
M174PH-H900B3.937X4.750	15.00432316	17	8 P 17-4SS Bar H900-3.
M174PH-H900R1.000	83.47729118	0	4 P 17-4SS H900 ROUN 246+
M174PH-H900R1.375	88.09978947	30.13	4 P 17-4 SS H900 ROUN
M2024T3A1.0 X 1.0 X.125	0.2	9.25	0 P 2024-T3511 ANGLE
M2024T3A1.50X2.00X.125	3.16E-07	11.5	0 P 2024-T3 ANGLE 1.5
M2024T3S.040	319.9685211	139	64 P 2024-T3 .040 sheet
M22759/16-229	1.211594737	200	100 P 122GA ELECTRICAL
M2650-6	27.84286749	56	30 P Firesleeve-crkl .375
M303B1.000X03.000	1.145	7.33	0 P 303 BAR 1" X 3'
M303B1.000X2.000	1.828604737	15	6 P 303 BAR 1" X 2"
M303B1.500X03.000	0.121647368	2.8	6 P 303 Bar 1.6
M303B2.000X1.750	3.639591579	10.6	10 P 303 BAR 2" X 1.750
M303H0.625	0.315789474	0	0 P HEX BAR .625
M303R0.313	6.14E-02	20.15	12 P 303 ROUND BAR .3
M303R0.375	5.159210526	32.131	12 P 303 Round Bar 0.37
M303R0.750	64.33952653	65.21	60 P 303 Round Bar 0.75
M304B0.500X2.500	421.6506579	22	12 P 304 BAR .500 x 2.50
M304EX0.75-16F	398.6576863	630	192 P Expanded Metal Fla
M304R1.00	8.210526316	0	0 P 304 ROUND BAR 1.0
M304RO.750	45.73536842	45.94	24 P 304 SS Roundbar .750
M304S12GA	64.63530015	156	32 P 304/316 0.100" Sh
M304S26GA	0.246661473	19	32 P 304/316 0.018 SHE
M304TR0.375W.035	3.16E-02	24.25	6 P 304 TUBING .375 x
M304TR0.375W.065	8.72E-02	10	12 P 304 RD Tube .375 x
M304TR0.675W.091	40.35255263	115.583	40 P 304 RD Tube .675 x
M304TR0.750W.065	1.212994737	40.5	24 P 304 RD Tube .750 x
M304TR1.000W.049	0.402610421	19.66	24 P 304 RD Tube 1.00 x
M304TR1.125W.065	4.842105263	20	12 P 304 RD Tube 1.125
M304TS0.500W.049	57.06540169	25	200 P Square Tubing 80081
M304TS0.750W.049	145.3292236	64.2368	120 P 304 SQ Tube .75x.7
M304TS0.750W.065	152.547265	971.7368106	200 P 304 SQ Tube .75x.7
M39029/63-368	60	25	5 P Contacts, Sockets (I
M39029/64-369	20	0	10 P Contacts, Pins (J100
M4130NB0.500X03.000	46.6	-7.11E-15	40 P 4130 Bar 0.500 x 3.48
M4130NR0.375	0.293157895	9.75	0 P 4130 steel RD bar .
M4130NR0.750	1.89E-02	12.92	6 P 4130 steel RD bar .
M4130NT0.500W.049	10.25157895	86.34	10 P 4130 RD Tube .500
M4130NT0.750W.049	56.66321053	102.83	30 P 4130 RD Tube .750
M4130NT1.000W.049	1.120723684	20.96	12 P 4130 RD Tube 1.00
M4130NT1.000W.120	1.828736842	3.67	12 P 4130 RD Tube 1.00

TST Overland Express

Express-LINK28

P.O. Box 3030, Station A, Mississauga, Ontario L5A 3S3
G.S.T. # 144612488
Overland Western International Inc.(OWEA)
3091 Rockefeller Avenue, Cleveland, Ohio 44115-3611Carrier Code
Code du Transp.
2153

750-9885688 3

Division of TST Solutions L.P.
Une division de TST Solutions L.P.
DUNS No. 242148401 (OVLD)

P/H Trailer - Unite Cuell

L/H Trailer - Unite Route

Manifest From - Manifest de		To - A		NS		NS		4		6		11	
Consignee - Consignataire		DART AEROSPACE LTD		Shipper - Expéditeur		MS METAUX SOLUTIONS INC		Origin		Dest.		C.D.	
1270 ABERDEEN STREET		HAWKESBURY, ON K6A 1K7		2108 32ND AVE		LACHINE, PQ H8T 3H4		MTL		MTL		3	
												.00	
								Declared Value - Valeur déclarée					
								Type - Genre		%Titr.		%Rem./Page	
								STD		0		01	

Bill To - Facturer à		Origin Carrier - Premier Transporteur		O/C Pro No. - N° Facture P/T		M		D. J		Beyond Carrier - Transporteur subs.		S.R.		Amount - Montant	
----------------------	--	---------------------------------------	--	------------------------------	--	---	--	------	--	-------------------------------------	--	------	--	------------------	--

Pieces - Coils	H.M.	Description	Weight - Poids	Rate - Taux	Charges - Frais
1		BDL D'ACIER 4X20X7.5@1 0.3 CFT FUEL SURCHARGE Printed on 04/07/2011 @ 08:12 ** COLLECT **	250		COLLECT COLLECT
1	Total Pieces Coils total	GST# 144612488	Total Weight Poids total	250	Total Charges Frais totaux

E & OE		Print Last Name		A TransForce Company		Connecting Carrier Please - Protect this Amount		Any loss or damage must be noted on pro bill at time of delivery, otherwise consignee's signature will constitute clear receipt.		C.O.D. Cash or Certified Cheque Only - Driver Collect This Amount	
				SW INTACT				Toutes pertes ou dommages doivent être notés sur le connaissement au moment de la livraison, autrement la signature du consignataire constituera un reçu final.		Total	
				<input type="checkbox"/> YES <input type="checkbox"/> NO		Au transporteur suivant - Frais à protéger				P.S.I. Chèque visé ou argent comptant seulement - à percevoir par le chauffeur	

X		Received in Apparent Good Order - Reçu sans Avaire Apparente		Date		Time In		Unit - Unité		Driver - Chauffeur		Signature Copy - Copie de Signature	
---	--	--	--	------	--	---------	--	--------------	--	--------------------	--	-------------------------------------	--

OEO-098L 04/06